



miniOrange Authentication Service-Docker Documentation

miniOrange Software Security Private Limited

29 January, 2021

Contents

Introduction	3
Creating and Managing the Docker Image	4
Building your Docker Image	4
Running the image in a docker container	4
Connecting to your docker container	5

Introduction

- This document assumes that you already have a working installation of [docker](#)
- This document also assumes that you will be working in a **nix-like* environment.
- This document will guide you through the processes and steps required to deploy the On-premise version of the miniOrange Authentication Service.

You must have received a [Dockerfile](#) along with this document. This will help you to create/build a *Docker* Image.

Creating and Managing the Docker Image

Building your Docker Image

- Place the `Dockerfile` in a desired directory. We will be using `~/moas` in this example.
- Build the Docker Image by running the following command:

```
1 docker build -t miniorange/mo-idp-server-3.3.39 ~/moas --no-cache
```

The build will take about 5-10 minutes, depending upon your internet connection.

Running the image in a docker container

- You can run the docker image by:

```
1 docker run -v <moas-directory-on-host>:/usr/share/moas/mo-idp-  
server-3.3.39 --net=bridge --name moas -p 9090:8080 -d  
miniorange/mo-idp-server-3.3.39
```

- `--net=bridge`: This connects the container to a bridge network, where the host machine is the gateway. Helps if the container needs to connect to other containers. We will be connecting to another container that will host our database.
- `9090:8080`: This will connect the 8080 port of the container to the 9090 port of the host machine.
- `<moas-directory-on-host>`: The host directory to map to container's. This will help with data retention as it will share the specified directory. This directory will contain the entire miniOrange deployment. This will come in handy if something needs to be changed later on.
- `--name moas`: This can be any string. This will be a name given to the docker container. This will be used to connect to the docker container later.

The image will by default start the Authentication Service. You may connect to your container any-time.

Connecting to your docker container

You can connect with the container using the value used with `--name` parameter that was specified while *running the docker container*.

```
1 docker exec -it moas bash
```

- `moas` is the `--name` parameter.